IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A polymer dispersion comprising

a polymer,

water, and

a surfactant;

wherein said polymer comprises and has incorporated therein in polymerized form:

an unsaturated silane (i) selected from the group consisting of

vinyltrimethoxysilane, vinyltriethoxysilane,

vinyltri(2-methoxyethoxy)silane, vinylmethyldimethoxysilane,

vinylmethyldiethoxysilane, and combinations thereof,

an organo silane (ii) selected from the group consisting of

methyltrimethoxysilane, n-propyltrimethoxysilane,

n-propyltriethoxysilane, n-propyltri(2-methoxyethoxy)silane,

isobutyltrimethoxysilane, isobutyltriethoxysilane,

n-hexyltrimethoxysilane, n-octyltrimethoxysilane,

n-octyltriethoxysilane, isooctyltrimethoxysilane,

isooctyltriethoxysilane, n-hexadecyltrimethoxysilane and

combinations thereof, and

a monomer selected from the group consisting of methyl methacrylate,

butyl acrylate, butylmethacrylate, acrylic acid and combinations

thereof;

wherein said polymer dispersion is obtained by polymerization of a monomer dispersion comprising:

said unsaturated silane (i),

Reply to Office Action of January 28, 2010

said organo silane (ii),

said monomer,

said surfactant, and

said water;

wherein in said monomer dispersion:

a weight ratio of said monomer to said water is from 40:60 to 55:45,

said water has a surfactant content of from 8.8% to 15% by weight of said

water, and

an amount of said unsaturated silane (i) and said organo silane (ii) ranges from

0.2 to 1.5% by weight, based on the weight of said monomer

A composition comprising a polymer, water, and a surfactant, wherein the polymer is

polymerized from a polymer dispersion comprising:

an unsaturated silane selected from vinyltrimethoxysilane, vinyltriethoxysilane, vinyltri(2-

methoxyethoxy)silane, vinylmethyldimethoxysilane,

vinylmethyldiethoxysilane, and combinations thereof,

an organosilane selected from methyltrimethoxysilane, n-propyltrimethoxysilane, n-

 $propyltriethoxy silane, \, n\text{-}propyltri (2-methoxy ethoxy) silane, \, is obutyltrimethoxy sila$

isobutyltriethoxysilane, n-hexyltrimethoxysilane, n-octyltrimethoxysilane, n-

octyltriethoxysilane, isooctyltrimethoxysilane, isooctyltriethoxysilane, n-

hexadecyltrimethoxysilane, propyltrimethoxysilane, and combinations thereof,

a monomer,

a surfactant, and

water;

wherein in the polymer dispersion,

the weight ratio of the monomer to the water is from 40:60 to 55:45,

the water has a surfactant content of from 8.8% to 15% by weight of the water,

the amount of the components (i) and (ii) ranges from 0.2 to 1.5% by weight, based on the weight of the monomer, and

wherein components (i) and (ii), and the monomer are incorporated into the polymer by polymerization of the polymer dispersion.

Claim 2 (Currently Amended): A process for preparing <u>said polymer dispersion</u> the eomposition of claim 1, the process comprising:

mixing [[the]] <u>said</u> monomer, [[and]] <u>said</u> components <u>unsaturated silane</u> (i) and <u>said organo silane</u> (ii) to form a mixture,

dispersing [[the]] <u>said</u> mixture [[the]] in surfactant-comprising water to form the <u>polymer said monomer</u> dispersion, and

carrying out a polymerization to form said polymer the composition.

Claim 3 (Cancelled).

Claim 4 (Currently Amended): The process of claim 2, wherein in [[the]] <u>said</u> mixture and <u>the polymer said monomer</u> dispersion, <u>component said unsaturated silane</u> (i) is used in a weight ratio to said organo silane <u>component</u> (ii) of from 99.9:0.1 to 0.1:99.9.

Claim 5 (Currently Amended): The process of claim 2, wherein in [[the]] said mixture and said monomer the polymer dispersion, said unsaturated silane the component (i) is

said vinyltriethoxysilane.

Claim 6 (Currently Amended): The process of claim 5, wherein in [[the]] <u>said</u> mixture and <u>said monomer</u> the polymer dispersion, the component <u>said organo silane</u> (ii) is n-propyltriethoxysilane.

Claim 7 (Currently Amended): A polymer dispersion comprising

a polymer,

water, and

a surfactant;

wherein said polymer comprises and has incorporated therein in polymerized form:

an unsaturated silane (i) selected from the group consisting of

vinyltrimethoxysilane, vinyltriethoxysilane,

vinyltri(2-methoxyethoxy)silane, vinylmethyldimethoxysilane,

vinylmethyldiethoxysilane, and combinations thereof,

an organo silane (ii) selected from the group consisting of

methyltrimethoxysilane, n-propyltrimethoxysilane,
n-propyltriethoxysilane, n-propyltri(2-methoxyethoxy)silane,
isobutyltrimethoxysilane, isobutyltriethoxysilane,
n-hexyltrimethoxysilane, n-octyltrimethoxysilane,
n-octyltriethoxysilane, isooctyltrimethoxysilane,
isooctyltriethoxysilane, n-hexadecyltrimethoxysilane and
combinations thereof, and

a polymeric precursor stage selected from the group consisting of

a precursor stage of a polyacrylate, a precursor stage of a

polymethacrylate, a precursor stage of a polystyrene acrylate, a

Application No. 10/566,371 Reply to Office Action of January 28, 2010

precursor stage of a polyvinyl alcohol, a precursor stage of a polyvinyl acetate and combinations thereof;

wherein said polymer dispersion is obtained by polymerization of a monomer dispersion comprising:

said unsaturated silane (i),

said organo silane (ii),

said polymeric precursor stage,

said surfactant, and

said water;

wherein in said monomer dispersion:

a weight ratio of said polymeric precursor stage to said water is from 40:60 to

<u>55:45,</u>

said water has a surfactant content of from 8.8% to 15% by weight of said

water, and

an amount of said unsaturated silane (i) and said organo silane (ii) ranges from 0.2 to 1.5% by weight, based on the weight of said polymeric precursor stage

The process of claim 2,

wherein

a precursor stage of a polymer selected from a polyacrylate, a polymethacrylate, a polystyrene acrylate, , a polyvinyl alcohol, and a polyvinyl acetate is used as the monomer.

Claim 8 (Currently Amended): A <u>polymer dispersion</u> emposition obtained by the process of claim 2.

Application No. 10/566,371

Reply to Office Action of January 28, 2010

Claim 9 (Canceled).

Claim 10 (Currently Amended): A method for preparing an adhesive, or a sealant, or an ink or a paint, the method comprising:

adding said polymer dispersion the composition of claim 1 to a concrete primer.

Claim 11 (Currently Amended): An article comprising:

the composition said polymer dispersion of claim 1.

Claim 12 (Currently Amended): The <u>polymer dispersion</u> eomposition of claim 1, wherein [[the]] <u>said</u> monomer is <u>a combination of at least two of selected from</u> methyl methacrylate, butyl acrylate, butyl methacrylate[[,]] <u>and</u> acrylic acid, <u>vinyl alcohol</u>, <u>vinyl acetate</u>, <u>methacrylic acid and combinations thereof</u>.

Claim 13 (Currently Amended): The <u>polymer dispersion</u> eomposition of claim 1, wherein in [[the]] <u>said monomer polymer dispersion</u>, [[the]] <u>said unsaturated silane (ii)</u> is vinyltriethoxysilane and [[the]] <u>said organo silane (ii)</u> organosilane is n-propyltriethoxysilane.

Claim 14 (Currently Amended): The <u>polymer dispersion</u> composition of claim 1, wherein [[the]] <u>wherein said monomer polymer</u> dispersion further comprises a silicic ester of the general formula (III),

$$Si(R^3)_4$$
 (III),

wherein groups R³ are identical or different and R³ is an alkoxy group selected from the group consisting of methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy and isobutoxy; and

wherein the silicic ester of the general formula (III) is incorporated into [[the]] <u>said</u> polymer during polymerization <u>so that said polymer comprises</u>, in <u>polymerized form</u>, said silicic ester of the general formula (III).

Claim 15 (Currently Amended): The process of claim 7, wherein said polymeric precursor stage is said [[a]] precursor stage of a polyacrylate is used as the monomer.

Claim 16 (Currently Amended): The process of claim 7, wherein <u>said polymeric</u> <u>precursor stage is said</u> [[a]] precursor stage of a polymethacrylate is used as the monomer.

Claim 17 (Currently Amended): The process of claim 7, wherein <u>said polymeric</u>

<u>precursor stage is said</u> [[a]] precursor stage of a polystyrene acrylate is used as the monomer.

Claim 18 (Cancelled).

Claim 19 (Currently Amended): The process of claim 7, wherein <u>said polymeric</u> precursor stage is <u>said</u> [[a]] precursor stage of a polyvinyl alcohol is used as the monomer.

Claim 20 (Currently Amended): The process of claim 7, wherein <u>said polymeric</u> <u>precursor stage is said</u> [[a]] precursor stage of a polyvinyl acetate is used as the monomer.

Claim 21 (Currently Amended): The <u>polymer dispersion</u> eomposition of claim 13, wherein in <u>said monomer</u> the <u>polymer</u> dispersion, [[the]] <u>said</u> monomer is selected from <u>the</u> <u>group consisting of</u> butyl acrylate, methyl methacrylate, methacrylic acid, and combinations thereof.

Claim 22 (Currently Amended): The <u>polymer dispersion</u> eemposition of claim 21, wherein in the <u>polymer said monomer</u> dispersion, [[the]] <u>said</u> monomer is a combination of butyl acrylate, methyl methacrylate, and methacrylic acid.

Claim 23 (New): The polymer dispersion of claim 1, wherein said surfactant is selected from the group consisting of octylphenol ethoxylate, nonylphenol ethoxylate, dodecylphenol ethoxylate, and combinations thereof.

Claim 24 (New): The polymer dispersion of claim 7, wherein said surfactant is selected from the group consisting of octylphenol ethoxylate, nonylphenol ethoxylate, dodecylphenol ethoxylate, and combinations thereof.